

PERGO®


Paintable Standard Skirting
Technical data sheet - English

TECHNICAL DATA SHEET - EDITION 04.2023

Paintable Standard Skirting

General information

Paintable standard skirting that can be left white and grab a can and paint your skirtings in a colour that suits your style. Do your skirtings need to withstand damp conditions? Then make sure to choose our waterproof skirtings instead.



CONTENTS

Standard skirting

COMPOSITION

MDF with multifunctional surface

COLOUR

White ≈ RAL 9003

TECHNICAL DATA SHEET - EDITION 04.2023

Paintable Standard Skirting

ORDER CODE	DIMENSIONS
PGSKPAINT	2400 x 12 x 58 mm

Applicable for:

All Pergo Laminate and Vinyl floors.

The floor must be able to expand and contract on all sides. This is why an expansion gap must be provided on all sides of the floor, around pipes, thresholds and under door frames. The exact expansion gap size depends on the floor type. Consult the installation instructions of your Pergo floor to know the required size of the expansion gap. To finish off this gap, we offer a wide range of skirting and profiles.

Paintable Standard Skirting

Features

Pergo accessories are specifically developed for Pergo floors.

- **Multi-purpose surface**

The surface can be left white or painted.

- **Same shape as colour matched skirtings**

Choose or combine between a colour-matched skirting or the white and paintable skirting: they have the exact same shape!

- **Easy installation with Pergo Multiglue**

Simply glue the skirting to the wall.



TECHNICAL DATA SHEET - EDITION 04.2023

Paintable Standard Skirting

Installation

The skirting can be installed in the following way:

1. If you choose to paint the skirting, it is best to sand and prime the skirting to ensure the best adhesion. Always verify if the paint bonds well. Preferably, use a water-based lacquer paint.
2. Simply glue the skirting to the wall with the Pergo Multiglue.
3. You can paint the skirting in the colour of your choice or you can leave it as a white skirting.

Unilin bv division flooring
Ooigemstraat 3, B-8710 Wielsbeke
T: +32 56 67 52 11
unilin.com
pergo.com

